

Calculators may be used in this examination provided they are not capable of being used to store alphabetical information other than hexadecimal numbers

UNIVERSITY OF BIRMINGHAM

School of Computer Science

Artificial Intelligence 1

Mock Examinations 2024

Time allowed: 2 hours

[Answer all questions]

Note

Answer ALL questions. Each question will be marked out of 20. The paper will be marked out of 60, which will be rescaled to a mark out of 100.

Question 1 Supervised Learning

- (a) The following pseudo-code represents one iteration through the training set for gradient descent applied to univariate linear regression.

```
cost = 0;
w0 = 0;
w1 = 0;
For{j=1 to size(trainingSet)}{
    f = w0 + w1*x(j);
    cost = cost + (y(j) - f)^2;
    w0 = w0 - a *(f - y(j));
    w1 = w1 - a *(f - y(j))*x(j);
}
```

Assume that the value of the learning rate, a is 1.

Give the numerical values of 'cost', 'w0', and 'w1' at the end of the execution of this pseudo-code for the following training set: $\{(-3, -1), (1, 1), (2, 5)\}$. **Show all your working.** **[10 marks]**

- (b) Consider a multivariate data set with 2 classes that are not linearly separable. Is it true that the classes will still be not linearly separable
- (i) if you remove one point from this data?
 - (ii) if you remove one feature from this data?

In both cases, justify your answers in the following way: if your answer is yes, then explain why; if your answer is no then give a counter-example. **[10 marks]**

Question 2 Clustering

- (a) Use hierarchical agglomerative clustering with complete linkage to cluster a 1-dimensional dataset with the following points: 3, 7, 8, 11, 17, 25, 27.




- (i) Show your step-by-step calculation of how clusters are formed. If there is a tie, select the first pair from left to right. Draw the resulting dendrogram with heights on one side. Assume that we want to cluster this dataset into 3 clusters. Which 3 clusters would the dendrogram give us? **[10 marks]**
- (b) Compute the per-cluster entropy and per-cluster purity of the confusion matrix given below.

Cluster	Entertainment	Financial	Foreign	Metro	National	Sports	Total
#1	1	1	0	11	4	676	693
#2	27	89	333	827	253	33	1562
#3	326	465	8	105	16	29	949
Total	354	555	341	943	273	738	3204

Note: The probability that a member of cluster i belongs to class j is p_{ij} = number of objects of class j in cluster i / number of objects in cluster i . Then, entropy of i th cluster is $e_i = -\sum_{j=1}^L p_{ij} \log_2 p_{ij}$ with L denoting the number of classes. Purity of cluster i is given by $p_i = \max_j p_{ij}$. **[10 marks]**

Question 3 Search & Optimisation

A planar robot with two degrees of freedom consists of two links that can rotate around the two rotational joints. The planar robot is placed at the origin as shown in the image below (initial state). The first link has length 2, while the second link has length 1 so that the end effector (i.e., the end of the robotic arm that is used to manipulate objects) is placed at coordinates $(3, 0)$ in the initial state.



The goal of the robot is to collect an object placed at coordinates $(\frac{3\sqrt{2}}{2}, \frac{3\sqrt{2}}{2})$ and move this object to the position identified by coordinates $(0, 3)$, as shown in the Collect Object and Goal State figure above, respectively. This problem can be formulated as a search problem as follows:

- Initial and goal states as shown in the figure above.
- Actions: you can rotate one of the links by 45° or -45° , and you can collect the object only if the end effector is placed above it.
- Nodes are identified by the coordinates of the end effector and by the information if the robot is holding the object. To calculate the coordinates, use the following equations (forward kinematics):

$$x = 2 \cos(\theta_1) + \cos(\theta_1 + \theta_2), \quad y = 2 \sin(\theta_1) + \sin(\theta_1 + \theta_2),$$

where θ_1 and θ_2 are the angles of rotation of the first and second joint, respectively, and $\cos$ and $\sin$ are the cosine and sine functions.

- The cost of each action is equal to 1. Always avoid loopy paths.

To calculate the cosine and sine of a given angle, please refer to the table below.

angle	cosine	sine
0	1	0
45°	$\sqrt{2}/2$	$\sqrt{2}/2$
90°	0	1

- (a) Generate the breadth first tree until the goal node is found. **[10 marks]**

When choosing which node to expand in the frontier and all nodes are at the same depth, always expand the node corresponding to the action in the following order: collect object (only if above the object), rotate link 1 by 45° , rotate link 1 by -45° , rotate link 2 by 45° and rotate link 2 by -45° . **Important: we only consider rotations if both coordinates of the position of the end effector are positive.**

Write down the following:

- Search tree produced by breadth-first search, indicating which nodes are in the frontier when the algorithm terminates.
 - The solution retrieved by breadth-first search and its cost.
 - The order in which the nodes are visited by breadth-first search.
- (b) Explain what it means to formulate an optimisation problem as a mathematical definition and describe the components of such a problem. **[10 marks]**

Do not complete the attendance slip, fill in the front of the answer book or turn over the question paper until you are told to do so

Important Reminders

- Coats/outwear should be placed in the designated area.
- Unauthorised materials (e.g. notes or Tippex) must be placed in the designated area.
- Check that you do not have any unauthorised materials with you (e.g. in your pockets, pencil case).
- Mobile phones and smart watches must be switched off and placed in the designated area or under your desk. They must not be left on your person or in your pockets.
- You are not permitted to use a mobile phone as a clock. If you have difficulty seeing a clock, please alert an Invigilator.
- You are not permitted to have writing on your hand, arm or other body part.
- Check that you do not have writing on your hand, arm or other body part – if you do, you must inform an Invigilator immediately
- Alert an Invigilator immediately if you find any unauthorised item upon you during the examination.

Any students found with non-permitted items upon their person during the examination, or who fail to comply with Examination rules may be subject to Student Conduct procedures.